

Data Sheet

Cashless Self-Service Solution

U-SCAN Mini-Express™

Modular, flexible and compact

Setting a new standard in compact self-checkout, U-SCAN Mini-Express™ is 40% smaller than the competition's cash-dispensing self-checkout units. The Mini-Express' state-of-the-art design allows retailers to fit nearly twice as many units in a desired space, providing high-throughput self-service so that store staff can focus on customer-facing activities. With full bioptic scanner and ultra-compact vertical standing versions available, U-SCAN Mini-Express maximizes space at the front-end and delivers more flexibility for merchandising and promotions. The small and compact design allows retailers to place twice as many Mini-Express units in the space of traditional cash handling self-checkouts. When self-check transactions require speed, convenience, and flexibility in a compact size, the U-SCAN Mini-Express is the right solution.

Key Features

- Compact size fits more units in a single space
- Maximizes front-end space for higher throughput and upsells
- Bioptic and free-standing Vertical configurations available
- Enhanced reliability represents significant cost savings
- Frees up labor for value-add activities
- U-SCAN software provides intuitive shopping experience
- S3 compatibility (A.I., Taskforce, Enterprise, etc.)

Designed for credit and debit transactions only, the U-SCAN Mini-Express has far less equipment failures and interventions than devices that handle cash. The compact design promotes high-throughput self-service as retailers can maximize valuable front-end real estate with multiple units. As a result, retailers can reduce queues and enhance the customer experience. Retailers are installing U-SCAN Mini-Express in stores across the globe as express lanes and well-merchandised checkout options, driving more customer traffic through self-checkout, improving operational efficiency, and reducing costs.



S³ | Self Service Simplified

Fujitsu S3 is a suite of hardware and software solutions uniquely designed to allow retailers to select only the building blocks they need to create a complete in-store solution or individually integrate into existing retail environments to augment in-store capabilities. S3 solutions ensure high adoption rates while reducing the friction associated with in-store technologies.



Unified Commerce Solutions

As part of the S3 line of self-service products, U-SCAN Mini-Express personifies unified commerce hardware solutions. The compact design and flexible configuration allow retailers deliver on their promise to provide the checkout options their shoppers are demanding.

The familiar U-SCAN interface ensures your customer always knows what to do, so that they can easily shop and pay instead of struggling with technology.

S3 solutions not only reduce estate management costs, they reduce interventions to free up labor for revenue-generating activities and customer-facing tasks.

S3 Compatibility



U-Scan



Integro



Taskforce



PalmSecure



Vision



Enterprise

U-SCAN Mini-Express™ V Specifications

Temperature	Operating: 32°F to 104°F (0°C to 40°C) 15° C/Hr (Non-Condensing) Non-operating: 23°F to 122°F (-5°C to 50°C)
Humidity	Operating: 10 to 90% non- condensing Non-operating: 8 to 95% non- condensing
Voltage	100-240 V AC
Frequency	50/60 Hz
Power Dissipation	AIO PC: 90 W; Whole System: up to 414 W
Type	Intel 7th Generation Kabylake Celeron GG3930TE, Core i3-7101TE, Core i5-7500T Intel 6th Generation Skylake Celeron G3900TE, Core i3-6100TE, Core i5-6500TE
Memory	8GB standard memory; expandable to 16GB
Storage	256GB Solid State Drive (SSD)
Ethernet	10/100/1000 LAN
Inputs/Outputs	3X 12 V P-USB 1X 24 V P-USB On-board video (VGA) 2X USB 2.0 Ports
Display	15" Color Touch Screen Projected Capacitive Multi-Touch (10 point Touch) 1024 X 768 Resolution
Operating System	Windows 10 (Linux option available)
Weight	AIO PC: 18 lbs. (8.2kg) Mini-Express Vertical Main Module: ~130 lbs. (59kg) With UBS1 Bag Scale: ~237 lbs. (107.5kg); Bag scale 107 lbs. (48.5kg)
Scanner	High performance 1D and 2D bar code bioptic scanner (EAS supported)
Optional	Assist Shelf: Side Shelf, left or right mount; EFT: Atos, Ingenico, Verifone Printer: High Speed Thermal Printer; Uninterrupted Power Supply: UPS 120VAC, 200W; Lane Light: LED Signal Tower; Bagging module: 1/2/4 bagging modules, left or right mount, bag racks, bag risers

Fujitsu Frontech North America reserves the right to change specifications without notice

Contact Fujitsu Frontech North America

Address: 36 Technology Dr, Suite #150, Irvine, CA, 92618
Phone: 877-766-7545
Email: FFNA.sales@fujitsu.com
Website: www.fujitsufrontechna.com/mini-express



©2023 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.