

Data Sheet

Fujitsu Cash Automated Solution

SmartCASH® SE

The smart way to make change

Automating cash payments has never been more important. Labor costs are rising at an accelerated pace. Emerging in-store business models require reallocating staff, further taxing already strained resources. Customers are choosing retailers who provide the self-service options they want. Manually handling cash is now a health risk that should not be ignored. Addressing all these new challenges takes more than yesterday's cash dispensers. It takes a solution small enough to be installed almost anywhere, integrate as easily with legacy systems as the latest technology, and be flexible enough to be used as a payment platform device across the retail store. It takes something smart to change the way retailers manage cash payments. Fujitsu's Global Cash Box Module, SmartCASH® SE, is the smart way to make change.



Key Features

- Smallest footprint of any full capacity recycling payment module
- Featuring bulk coin acceptance for faster automated cash handling
- Adaptable design meets any deployment needs
- Fujitsu cash and coin recycling devices – the industry's most trusted
- Best-in-class counterfeit and fitness detection/sorting
- Single USB cable interface
- Multiple configurations


Featuring full cash and coin recycling, SmartCASH SE has a large storage capacity and bulk coin input with accept speeds of five coins per second. It includes the most flexible and reliable small-format bill recycling unit in the market today, the Fujitsu GSR50, as well as Fujitsu's bulk coin acceptor. SmartCASH SE accepts up to 50 notes in a bundle for deposit, and dispenses up to 20 notes on withdrawal to minimize float management.

With the smallest footprint in its class and a single USB cable interface, the SmartCASH SE is designed to be the single payment module for all retail applications:

- POS checkout counter
- Convertible lanes
- Self-checkout
- Back offices
- Payment Stations

S³ Self Service Simplified

Fujitsu S3 offers a versatile suite of self-checkout software and hardware solutions for retailers, designed to accommodate various retail environments. Whether building a new self-service system or integrating into an existing ecosystem, S3 ensures seamless compatibility and enhances in-store capabilities for widespread adoption.



Unified Commerce Solutions

As an important component of the S3 line of self-service solutions, Fujitsu Integro embodies unified commerce. With a WebAPI interface and open architecture for use across various systems and devices, Integro gives retailers the power to perform predictive maintenance.

Support for new and existing retail ecosystems guarantees smooth integration, while consistency across your in-store environment ensures that shoppers won't struggle with new technology.

S3 solutions cut estate management costs and reduce interventions, freeing up valuable labor for more revenue-generating tasks and customer interactions.

S3 Compatibility



U-Scan



Integro



Taskforce



QSS



PalmSecure



Verso



BOLT



Enterprise

Fujitsu SmartCASH® SE Specifications

| | |
|---------------------------|--|
| Dimensions (W x D x H) | 515mm x 654mm x 686mm |
| Weight (without bills) | Approx. 146kg (2R + 1C) |
| | Configurations available: Default: 2R + 1C Optional: 2R + 1L + 1C 3R + 1C 2R + 1C + 1E |
| Bill Recycler (GSR50) | R=Recycling module L=Loading module, C=Cash box, E=Exception box module 2 recycling stackers per Recycling module, up to 6 denominations |
| Recycle Cassette Capacity | 360 Bills total capacity (in maximum configuration) |
| Deposit Cassette | 1,500 Bills per cassette (Approx.) |
| Deposit Volume | 50 Bills per transaction |
| Deposit Speed | 3 Bills/1 sec. 20 Bills/10 sec. |
| Dispense Volume | 20 Bills per transaction |
| Dispense Speed | 3 Bills/1 sec. 20 Bills/12 sec. |
| Coin Performance | Bulk Coin Input Accept Speed: 5 Coins/sec. |
| Electrical Requirements | 115 V AC, 230V +/- 10% 50/60Hz |
| Temperature Operation | Operation: 5°C to 35°C (41°F to 95°F) Stop State: -10°C to 50°C (14°F to 122°F) |
| Security Rating | Business Hours Enclosure |
| Compliance | CSA, FCC, RoHS, REACH, CE |



Fujitsu Frontech North America reserves the right to change specifications without notice

Contact Fujitsu Frontech North America

Address: 36 Technology Dr. Suite #150, Irvine, CA, 92618
Phone: 877-766-7545
Email: FFNA.sales@fujitsu.com
Website: www.fujitsufrontechna.com/smartcash-se



©2025 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.